

## INDEX

ABBE, ERNST C., and ROBERT B. KAUL. Inflorescence Architecture and Evolution in the Fagaceae, 375–401

*Abelia dielsii*, 60

*Aberemoa*, 216, 217, 231, 235, 240

*Abies fargesii*, 60

- *fraseri*, 60
- *mairesii*, 60
- *veitchii*, 60

*Ablania*, 216

*Abuta*, 216, 231, 235, 239

Acanthaceae, 534

*Acer*, 299, 416

- *caudatum* var. *multiserratum*, 60
- *pensylvanicum*, 60
- *rubrum*, 416
- *rufinerve*, 60
- *saccharum*, 60, 416
- *spicatum*, 60
- *tetramerum*, 60
- *tschonoskii*, 60
- *ukurunduense*, 60

*Acia*, 216, 218, 235

*Acioa*, 216, 218, 235

*Ackama*, 168

*Acouroa*, 216, 230, 231, 235, 240

*Acrophyllum*, 150, 156, 164–166, 168

- *australe*, 151, 156, 158, 172, 173

*Acsmithia*, 149, 150, 155, 157, 164, 165, 167, 169

- *densiflora*, 151, 154, 157, 158, 172–174
- *elliptica*, 151, 156, 157, 173
- *integrifolia*, 151, 157
- *pedunculata*, 151
- *pubescens*, 151
- *pulleana*, 151, 157
- *reticulata*, 151, 173
- *undulata*, 151
- *vitiense*, 155

*Actaea asiatica*, 60

- *pachypoda*, 60

*Aegiphila*, 221, 235

*Aegopricum*, 221, 235

*Aesculus octandra*, 60

*Aethionema*, 347, 350

*Aframomum melegueta*, 19

*Agalmyla*, 130

Agarista (Ericaceae), A Taxonomic Revision of the American Species of, 255–342

*Agarista*, 255–342

- sect. *Agarista*, 256–261, 264, 265, 269, 270, 273, 274, 282
- sect. *Agauria*, 256–258, 264, 265, 270, 273, 339
- sect. *Euagarista*, 282
- sect. *Leucothoides*, 282
- *acicularis*, 270
- *albiflora*, 259, 261, 264, 266, 267, 270, 271, 273, 278, 279, 281–287, 290
- *ambigua*, 309
- *anastomosans*, 339
- *angustissima*, 261, 263, 266–272, 277, 334–338
- *boliviensis*, 261, 263, 266, 267, 270, 271, 277, 280, 328, 333–335
- *bracamorensis*, 264, 266–268, 272, 279, 284–286
- *bradei*, 303
- *breviflora*, 325
- *chapadensis*, 263, 266, 270, 280, 302, 305–307
- *chlorantha*, 263, 266, 267, 270, 272, 274, 279, 282, 286, 313, 318–323, 325–327, 329
- *ciliata*, 339
- *coccinea*, 339
- *cordifolia*, 316
- *coriifolia*, 259, 261, 263, 267, 269, 271–273, 278, 280, 281, 300, 303–305, 312, 316
- — var. *bradei*, 266, 271, 273, 294, 300, 302, 303
- — var. *coriifolia*, 266, 294, 300–303
- *duartei*, 261, 263, 266–270, 272, 277, 334, 338, 339
- *duckei*, 261, 264–267, 270, 271, 273, 279, 281, 284–287, 290
- *ericoides*, 261, 263, 266–273, 278, 286, 320, 324, 326, 327, 329
- *eriophylla*, 339
- *eucalyptoides*, 259, 261, 263, 266, 267, 269–271, 273, 277, 280, 313, 328, 333–335, 337
- *glaberrima*, 261, 266, 267, 269–271, 277, 334–338
- *hispidula*, 259, 261, 263, 266–268, 270, 272, 273, 278, 286, 313, 317, 320, 321, 323–327, 329
- *ilicifolia*, 339

- Agarista intermedia*, 270  
 — *itatiaiae*, 339  
 — *laxiflora*, 303  
 — *lycopodioides*, 270  
 — *mexicana*, 265, 267–271, 280, 281, 285, 290, 293, 295, 299, 333  
 — — var. *mexicana*, 266, 290–293  
 — — var. *pinetorum*, 266, 270, 283, 290, 292, 293, 306, 307  
 — *minensis*, 266, 271, 272, 274, 278, 280, 308, 311–314, 316, 317, 331  
 — *multiflora*, 334  
 — *neriifolia*, 300, 303  
 — *niederleinii*, 259, 261, 263, 268, 273, 278, 279, 281, 314, 316, 329, 331, 332  
 — — var. *acutifolia*, 266, 273, 312, 328–331  
 — — var. *niederleinii*, 266, 328–332  
 — *nummularia*, 263, 265, 266, 268, 270–272, 274, 277, 282, 317–321, 323  
 — — var. *floccigera*, 270  
 — — var. *nummularia*, 270  
 — *oleifolia*, 259, 261, 263, 267, 273, 280, 303, 307–309, 312–314, 316, 325, 332  
 — — var. *glabra*, 266, 270, 273, 308–312  
 — — var. *hispidula*, 270  
 — — var. *oleifolia*, 266, 270, 294, 308–310, 312, 314  
 — *organensis*, 263, 266–268, 270–272, 278, 286, 320, 323–326, 329  
 — *paraguayensis*, 266, 269, 270, 273, 274, 279, 280, 306–308, 312  
 — *pistrix*, 270, 305  
 — *pohlii*, 301, 303  
 — *populifolia*, 257–259, 261, 263, 265–272, 274, 275, 281, 285, 293, 295–300, 332  
 — *pulchella*, 265, 267, 270–273, 277, 278, 280, 307, 312, 314–317, 319, 323, 331  
 — — var. *cordifolia*, 263, 266, 308, 312, 315–317, 331  
 — — var. *pulchella*, 266, 303, 308, 311, 312, 314–317  
 — *pulchra*, 266–270, 277, 278, 280, 302–306  
 — *revoluta*, 259, 261, 264, 265, 271, 273, 278, 279, 283, 285, 287–290  
 — — var. *revoluta*, 266, 288, 289, 302  
 — — var. *velutina*, 266, 270, 288–290, 302, 306, 307  
 — *salicifolia*, 256, 258, 264, 265, 270, 273, 274, 277, 339  
 — *serrulata*, 270, 282, 321, 323
- Agarista sleumeri*, 265–271, 274, 281, 285, 292–295, 297, 299  
 — *spectabilis*, 310  
 — *sprengelii*, 288  
 — *stenophylla*, 309  
 — *subcordata*, 261, 264, 266, 267–273, 278, 279, 284–286, 316  
 — *subrotunda*, 263, 266, 270, 277, 280, 302–307  
 — *uleana*, 266, 273, 281, 312, 330–333  
 — *varnhageniana*, 312  
 — *virgata*, 261, 263, 266–271, 277, 318–321
- Agauria*, 255–257, 274, 339  
 — *salicifolia*, 274
- Ailanthus*, 121
- Aiouea*, 216
- Aistopetalum*, 158, 161–165, 167  
 — *multiflorum*, 151, 161, 174  
 — *viticoides*, 161
- Allamanda*, 223, 235, 241
- Alliaria*, 367, 373  
 — *petiolata*, 372
- Allophylus*, 108  
 — *cobbe*, 113
- Alnus*, 295
- Alpinia*, 8, 19, 25  
 — *galanga*, 19  
 — *officinarum*, 16, 19  
 — *speciosa*, 16  
 — *zerumbet*, 16
- Alpiniaceae*, 16
- AL-SHEHBAZ, IHSAN A. The Tribes of Cruciferae (Brassicaceae) in the Southeastern United States, 343–373
- Alstonia*, 223, 233, 235
- Alstroemeria*, 194
- Alyssum*, 347, 348, 350, 365, 371
- Amaioua*, 216
- Amanoa*, 216
- Amaranthaceae*, 549
- Amazonia*, 228, 235
- Ambelania*, 216, 223, 233, 235
- Amechania*, 257, 274  
 — *hispidula*, 325  
 — *subcanescens*, 274, 321
- American Species of *Agarista* (Ericaceae), A Taxonomic Revision of the, 255–342
- Amyris elemifera*, 114
- Anacardiaceae*, 108, 238
- Anagallis*, 549
- Anastatica hierochuntica*, 349
- Anatomy of Stem Abscission in the Genus *Smilacina* (Liliaceae), 563–570

- Anatomy of the Palm *Rhapis excelsa*, X.  
Differentiation of Stem Conducting Tissue, 191-214
- Anatomy, Vegetative, and The Taxonomic Status of *Ilex collina* and *Nemopanthus* (AQUIFOLIACEAE), 243-250
- Anavinga*, 220, 235
- Andira*, 230, 235
- Andromeda*, 257, 258  
— *acuminata*, 297  
— *bracamorensis*, 285  
— *chlorantha*, 321  
— *coriifolia*, 300  
— *crassifolia*, 288, 301  
— *eucalyptoides*, 334  
— *formosissima*, 297  
— *lanceolata*, 333  
— *laurina*, 297  
— *longepetiolata*, 334  
— *lucida*, 297  
— *mariana*, 315  
— *mexicana*, 291  
— *multiflora*, 334  
— *nitida*, 289  
— *nummularia*, 317  
— *oleifolia*, 309  
— *pistrix*, 305  
— *populifolia*, 297  
— *pulchella*, 315  
— *pulchra*, 304  
— *reticulata*, 297  
— *revoluta*, 288  
— *sellowii*, 304  
— *serrata*, 300  
— *serratifolia*, 300  
— *serrulata*, 321  
— *subrotunda*, 305
- Anetanthus*, 145, 146  
— *alatus*, 145, 146  
— *gracilis*, 145
- Aniba*, 216
- Annonaceae*, 238
- Anodopetalum*, 158, 162-169  
— *biglandulosum*, 151, 174
- Antirhea*, 221, 235
- Apalatoa*, 216, 229, 235
- Apeiba*, 217, 239
- Aphanopetalum*, 168
- Apocynaceae*, 231, 233, 238
- AQUIFOLIACEAE: Vegetative Anatomy and the Taxonomic Status of *Ilex collina* and *Nemopanthus* (AQUIFOLIACEAE), 243-250
- Aquifoliaceae*, 233, 238, 243
- Arabidopsis*, 365, 373
- Arabis*, 347, 350, 366, 371  
— *canadensis*, 372
- Aralia spinosa* (ARALIACEAE), The Architecture of Devil's Walking Stick, 403-418
- Aralia*, 403, 406, 412, 414-417  
— *spinosa*, 403-418
- ARALIACEAE: The Architecture of Devil's Walking Stick, *Aralia spinosa*, 403-418
- Architecture and Evolution in the FAGACEAE, Inflorescence, 375-401
- Architecture of Devil's Walking Stick, *Aralia spinosa* (ARALIACEAE), The, 403-418
- Ardisia*, 220, 232, 235
- Arisaema triphyllum*, 60
- Aristogitonia*, 122
- Armoracia*, 344, 364, 371  
— *aquatica*, 372  
— *rusticana*, 350
- Arouna*, 217
- Arrowroot Family, 39
- Aruba*, 217
- Asarum caudigerum*, 60
- Ascium*, 223, 235
- ASCLEPIADACEAE, 238
- Athenaea*, 220, 232, 235
- Athyrium*, 60  
— *asplenoides*, 60  
— *fallaciosum*, 60  
— *filix-femina*, 60
- Aubletia*, 217, 231, 235
- Aublet's Generic Names by His Contemporaries and by Present-Day Taxonomists, The Treatment of, 215-242
- Aubrieta deltoidea*, 350
- Austrobuxus*, 120  
— *carunculatus*, 105, 116, 117, 119  
— *eugeniifolius*, 105, 118
- Avicennia*, 220, 235  
— *germinans*, 113
- BAAS, PIETER. Vegetative Anatomy and the Taxonomic Status of *Ilex collina* and *Nemopanthus* (AQUIFOLIACEAE), 243-250
- Bacopa*, 217, 231, 235
- Bagassa*, 217
- Baillieria*, 217, 239
- Banara*, 217
- Barbarea*, 367, 371
- Barreria*, 225, 233, 235
- BARRINGER, KERRY. Cubitanthus, a New Genus of Gesneriaceae from Brazil, 145-147
- Bassovia*, 217
- Bauera*, 150, 165-167, 169

- Bauera capitata*, 150  
*Bellardia*, 229, 234, 235  
*Bellonia*, 217, 235  
*Benteca*, 216, 235  
*Berberidaceae: A Monograph of Diphylleia*, 57-94  
*Berberidaceae*, 57, 67, 69, 70, 89  
 — subfam. *Podophylloideae*, 69  
*Berberis*, 58, 68  
 — *canadensis*, 57  
*Berteroa*, 365, 371  
*Bertiera*, 217  
*Betchea*, 168  
*Betula albo-sinensis* var. *septentrionalis*, 60  
 — *alleghaniensis*, 60  
 — *ermanii*, 60  
 — *fargesii*, 60  
 — *lenta*, 60  
*Betulaceae*, 375, 377, 396  
*Bihai*, 429, 431, 461  
 — subg. *Stenochlamys*, 431, 447  
 — subg. *Taeniostrobus*, 431, 447  
 — *collinsiana*, 482  
 — *elegans*, 494  
 — *longa*, 486  
 — *marginata*, 472  
 — *mariae*, 494  
 — *platystachys*, 480  
 — *punicea*, 494  
*Bihaiia*, 429, 461  
 — *curtispatha*, 486  
*Biscutella*, 347  
*Blackstonia*, 232, 235  
*Blakstonia*, 222, 235  
*Bockia*, 222, 235  
*Bocoa*, 217  
*Bombacaceae*, 109, 238  
*Bonnetia*, 221, 232, 235  
*Bonnetiaceae*, 231, 232, 238  
**BOUFFORD, DAVID E., TSÜN-SHEN YING, and SUSUMU TERABAYASHI.** A Monograph of *Diphylleia* (*Berberidaceae*), 57-94  
*Bougueria*, 534, 536  
 — *nubicola*, 534  
*Brachychilum*, 25  
*Brami*, 231, 235  
*Brassica*, 345, 350, 366, 369  
 — *campestris*, 350, 368  
 — *juncea*, 350  
 — *napus*, 350  
 — *nigra*, 350  
 — *oleracea*, 350  
*Brassicaceae: The Tribes of Cruciferae in the Southeastern United States*, 343-373  
*Brassicaceae*, 344  
*Brazil, Cubitanthus*, a New Genus of *Gesneriaceae* from, 145-147  
*Bromeliaceae*, 6  
**BROOME, C. R., G. L. WEBSTER, W. J. HAYDEN, W. T. GILLIS, and D. E. STONE.** Systematics and Palynology of *Picrodendron*: Further Evidence for Relationship with the Oldfieldioideae (*Euphorbiaceae*), 105-127  
*Brosimum*, 219, 225, 235  
*Brucea*, 120  
*Brunellia*, 170  
*Brunelliaceae*, 169, 170  
*Buchenavia*, 224, 233, 235, 240  
*Buchnera*, 225, 235  
*Burghartia*, 225, 235  
*Burseraceae*, 109, 234, 238  
**BURTT, B. L.** The First Species of *Stauranthera* (*Gesneriaceae*) from New Guinea, with General Notes on the Genus, 129-133  
*Cabomba*, 217  
*Cabombaceae*, 238, 240  
*Cacalia adenostyloides*, 60  
 — *muhlenbergii*, 60  
 — *roborowskii*, 60  
*Cacoucia*, 217  
*Caesalpinia*, 218, 235  
*Cakile*, 345, 349, 363, 369  
 — *edentula* subsp. *harperi*, 368  
*Calathea*, 40, 42, 43  
 — *allouia*, 43  
 — *zebrina*, 43  
*Caldcluvia*, 149, 150, 155-157, 165, 168, 173  
 — *australiensis*, 151, 155, 157, 173  
 — *brassii*, 151, 156, 157, 173  
 — *celebica*, 151, 156, 173  
 — *clemensiae*, 151, 156, 173  
 — *fulva*, 151, 156, 173  
 — *nymanii*, 151, 156, 157, 168, 172-174  
 — *paniculata*, 151, 156, 157, 173  
 — *paniculosa*, 151, 155, 157, 173  
 — *papuana*, 151, 156, 173  
 — *rosifolia*, 151, 154, 155, 157, 158, 173  
 — *rufa*, 151  
*Calepina*, 363, 364, 369  
 — *irregularis*, 368  
*California, Central, A Possible Magnolioid*

- Floral Axis, *Loishoglia bettencourtii*, from the Upper Cretaceous of, 95–104
- Calinea, 217
- Callicocca, 218, 219, 228, 235
- Callicoma, 150, 155, 165, 168  
— *serratifolia*, 150, 151, 156–158, 173
- Calycorectes, 218, 231, 235  
— *bergii*, 240
- Camax, 226, 235
- Camelina, 365, 371
- Cananga, 216, 217, 235
- Caniram, 226
- Canna, 7, 9, 17, 26, 29–39  
— subg. *Canna*, 32  
— — sect. *Bialatae*, 32, 34  
— — sect. *Trialatae*, 32, 34  
— subg. *Distemon*, 29, 31  
— subg. *Eucanna*, 32  
— *angustifolia*, 32  
— *compacta*, 35  
— *edulis*, 32, 34, 35, 53  
— *flaccida*, 30, 32–34  
— — × *iridiflora*, 33  
— × *generalis*, 32–34  
— *glauca*, 32–34  
— *indica*, 31–35  
— *iridiflora*, 33  
— × *orchiodes*, 32, 33  
— *reevesii*, 33  
— *stricta*, 32  
— *warszewiczii*, 33
- Canna Family, 29
- Cannaceae, Marantaceae, and Zingiberaceae: The Zingiberales in the Southeastern United States, 5–55
- Cannaceae, 5–7, 9, 29, 31, 34, 39, 41–43, 433
- Capparaceae, 108, 238, 348, 349  
— subfam. Cleomoideae, 346
- Capparis, 230, 235
- Caprifoliaceae, 534
- Capsella, 364, 369  
— *bursa-pastoris*, 368
- Caraipa, 217, 231, 235, 239  
— *parvifolia*, 231
- Carapa, 217
- Carapichea, 218, 219, 228, 235
- Cardamine, 344, 345, 347, 349, 366, 371  
— *chenopodiifolia*, 349  
— *clematitis*, 60  
— *engleriana*, 60  
— *laciniata*, 347
- Cardaria, 364, 369
- Carinavalva, 346
- Carolinea, 223, 233, 235
- Carpinus, 299
- Carya sect. *Carya*, 120
- Caryocar, 224, 227, 235
- Caryocaraceae, 238
- Casearia, 220, 225, 235
- Cassipourea, 218, 231, 235
- Castanea, 375–377, 383, 387, 391–395, 398  
— *crenata*, 387, 398  
— *dentata*, 387, 398  
— *mollissima*, 387, 398
- Castanopsis, 375–377, 383, 385, 386, 391–396, 398  
— *acuminatissima*, 385, 398  
— *argyrophylla*, 398  
— *armata*, 398  
— *brevispina*, 386, 398  
— *chevalieri*, 398  
— *chrysophylla*, 376, 386, 391, 392, 398  
— *costata*, 398  
— *cuspidata*, 398  
— *echinocarpa*, 398  
— *ferox*, 398  
— *fissa*, 385, 398  
— *formosana*, 398  
— *foxworthyi*, 398  
— *inermis*, 385, 398  
— *javanica*, 398  
— *lancifolia*, 398  
— *longipetiolata*, 399  
— *megacarpa*, 399  
— *motleyana*, 399  
— *nephelioides*, 399  
— *philippinensis*, 399  
— *pierrei*, 399  
— *purpurea*, 399  
— *pyriformis*, 399  
— *rhamnifolia*, 385, 399  
— *schefferiana*, 399  
— *stellatospina*, 386, 399  
— *stipitata*, 386, 399  
— *subacuminata*, 386, 399  
— *tribuloides*, 399  
— *tungurрут*, 399
- Castela, 120
- Catalpa punctata, 113
- Catinga, 218, 231, 235, 239, 240  
— *moschata*, 231, 240
- Caulophyllum, 57  
— *robustum*, 60, 65  
— *thalictroides*, 60
- Cecropiaceae, 238
- Cedrota, 216, 235
- Celaenodendron, 122

- Celastraceae, 232, 238  
Celosia, 549  
*Cenolophon oxymitrum*, 18  
Central American Heliconia (Heliconiaceae) with Pendent Inflorescences, Systematics of, 429–532  
*Centunculus*, 549  
*Cephaëlis*, 218, 219, 228, 235  
*Ceranthus*, 222, 235  
*Ceratopetalum*, 158, 159, 163, 165–168  
— *succirubrum*, 151, 159, 160, 172  
*Cercidiphyllum*, 57  
*Chaetocarpus*, 225, 233, 235  
*Chamaecyparis*, 299  
*Chemnia*, 226, 235  
*Chesnea*, 218, 235  
*Chionanthus*, 222, 232, 235  
*Chlora*, 223, 235  
*Chomelia*, 221, 235  
*Chorispora*, 363, 373  
Chromosomes and Relationships of *Metasequoia* and *Sequoia* (Taxodiaceae), The: an Update, 251–254  
*Chrysobalanaceae*, 231, 238  
*Chrysolepis*, 376  
*Chrysosplenium microspermum*, 60  
*Cimicifuga foetida*, 60  
— *racemosa*, 60  
*Ciponima*, 218  
*Cipura*, 218  
*Circaeа alpina* subsp. *alpina*, 60  
— — subsp. *imaicola*, 60  
*Clayton*, Temple, 1–4  
*Clayton*, Temple, Chemist and Amateur Botanist, 1914–1978, 1–4  
*Clibadium*, 217, 235  
*Clintonia udensis*, 60  
— *umbellulata*, 60  
*Clompanus*, 215  
*Clypeola*, 349  
*Coccocypselum*, 229, 233, 235  
*Codia*, 159, 160, 163–169  
— *nitida*, 151, 159, 160, 172, 174  
— *obcordata*, 151, 160  
*Combretaceae*, 238, 240  
*Combretum*, 217, 235  
*Comocladia*, 228, 235  
*Compositae*, 70, 231–234, 238  
*Conami*, 218  
*Conceveiba*, 218  
*Connaraceae*, 238  
*Conobea*, 218  
*Conohoria*, 218, 232, 233, 235, 240  
*Conopea*, 218, 235  
*Conoria*, 218, 235  
*Conringia*, 366, 369  
*Convolvulaceae*, 238  
*Coptis trifolia*, 60  
Cornaceae: Some Observations on the Reproductive Biology of Three Species of *Cornus*, 419–427  
*Cornaceae*, 419  
*Cornus* (Cornaceae), Some Observations on the Reproductive Biology of Three Species of, 419–427  
*Cornus*, 419–427  
— subg. *Thelycrania*, 57  
— *florida*, 419–426  
— *mas*, 419–426  
— *sericea*, 419, 421–426  
*Coronopus*, 344, 364, 369, 542  
— *didymus*, 368  
*Costaceae*, 5, 7, 16, 433, 441  
*Costus*, 7, 16  
*Coublandia*, 218  
*Couepia*, 216, 218, 231, 235  
*Couma*, 218  
*Coumarouna*, 219, 228, 235  
*Coupouí*, 219, 232, 235, 240  
*Couratari*, 219  
*Courimari*, 219, 232, 235  
*Couroupita*, 219  
*Coussapoa*, 219, 239  
*Coussarea*, 219  
*Coutarea*, 219  
*Coutoubea*, 219, 239  
*Craibiodendron*, 255, 256, 261, 272  
*Crambe*, 347, 349  
*Crassulaceae*, 534  
*Crateva*, 108  
*Crenea*, 219  
Cretaceous, Upper, of Central California, A Possible Magnolioid Floral Axis, *Loishoglia bettencourtii*, from the, 95–104  
*Cruciaceae*, 345  
Cruciferae (Brassicaceae) in the Southeastern United States, The Tribes of, 343–373  
Cruciferae, 343–373  
— tribe *Alysseae*, 346, 347, 363, 369–371  
— tribe *Anchonieae*, 371  
— tribe *Arabideae*, 347, 363, 370–372  
— tribe *Brachycarpeae*, 369  
— tribe *Brassicaceae*, 343, 346, 347, 362, 368–370  
— tribe *Cakilineae*, 369  
— tribe *Calepineae*, 369

- Cruciferae tribe Camelinaeae, 371  
 — tribe Cardamineae, 371  
 — tribe Chamireae, 346  
 — tribe Cheirantheae, 371  
 — tribe Cremolobeae, 346  
 — tribe Drabeae, 346, 371  
 — tribe Erucarieae, 369  
 — tribe Erysimeae, 371  
 — tribe Heliophileae, 346  
 — tribe Hesperideae, 346, 347, 363, 371–373  
 — tribe Iberideae, 369  
 — tribe Isatideae, 369  
 — tribe Lepidieae, 343, 346, 347, 362, 368–370  
 — tribe Lunarieae, 346, 371  
 — tribe Matthioleae, 346, 371  
 — tribe Physarieae, 371  
 — tribe Pringleeae, 346  
 — tribe Psychineae, 369  
 — tribe Raphaneae, 369  
 — tribe Romanschulzieae, 346, 367  
 — tribe Schizopetaleae, 346, 371  
 — tribe Senebiereae, 369  
 — tribe Sisymbrieae, 346, 347, 363, 372, 373  
 — tribe Stanleyeae, 346, 367  
 — tribe Stenopetaleae, 346  
 — tribe Streptantheae, 346, 367  
 — tribe Subularieae, 369  
 — tribe Thelypodieae, 343, 346, 347, 363, 367, 369, 370  
 — tribe Thlaspideae, 369  
 — tribe Velleae, 369  
 — tribe Zilleae, 369  
*Crudia*, 216, 229, 235  
*Cryptostomum*, 222, 235  
*Ctenanthe*, 43, 52, 53  
*Cuba*, 227, 235  
*Cubitanthus*, A New Genus of Gesneriaceae from Brazil, 145–147  
*Cubitanthus*, 145–147  
 — *alatus*, 146  
*Cucullaria*, 230, 235  
*Cunninghamia*, 221, 232, 235  
*Cunonia*, 150, 154, 155, 158, 163, 165, 168  
 — *atrorubens*, 151  
 — *balansae*, 152, 154, 174  
 — *capensis*, 152, 154  
 — *lenormandii*, 152  
 — *macrophylla*, 152, 156, 157, 172  
 — *pseudoverticillata*, 152, 173  
 — *pterophylla*, 152, 154, 174  
 — *pulchella*, 152, 154, 158, 172  
*Cunonia purpurea*, 152, 156, 157, 172  
 — *schinziana*, 152, 157, 173  
*Cunoniaceae*, Fruits and Seeds of the, 149–190  
*Cunoniaceae*, 149–190  
 — tribe Belangereae, 167  
 — tribe Cunonieae, 168  
 — tribe Pancherieae, 168  
 — tribe Pulleae, 168  
 — tribe Spiraeanthemeae, 167  
*Cupressus*, 295  
*Curcuma angustifolia*, 19  
 — *domestica*, 19  
 — *longa*, 19  
*Cyclas*, 216, 229, 235  
*Cyperaceae*, 17, 233, 238  
*Cyrtandra*, 130  
 — *auriculata*, 130  
 — *tarsodes*, 130  
*Cyrtanthus*, 225, 235  
  
*Dahuronia*, 222, 235  
*Dalbergia*, 216, 231, 235  
*Degeneria*, 102  
*Degeneriaceae*, 102, 103  
*Deguelia*, 219  
*Derris*, 219, 235  
*Descurainia*, 365, 373  
 — *pinnata*, 372  
*Devil's Walking Stick*, *Aralia spinosa* (Araliaceae), The Architecture of, 403–418  
*Dialium*, 217, 235  
*Dichapetalaceae*, 238  
*Dichrotrichum*, 130  
*Dickia*, 221, 235  
*DICKISON, WILLIAM C.* Fruits and Seeds of the Cunoniaceae, 149–190  
*Dilleniaceae*, 238  
*Dimerocostus*, 16  
*Dimorpha*, 219, 224, 235  
*Dimorphocarpa*, 344  
*Diospyros*, 224, 226, 235  
*Diphylleia* (Berberidaceae), A Monograph of, 57–94  
*Diphylleia*, 57–94  
 — *cymosa*, 57–78, 93, 94  
 — — *subsp. grayi*, 82  
 — — — *var. incisa*, 82  
 — — *subsp. sinensis*, 78  
 — *grayi*, 57–71, 78, 82–89, 93, 94  
 — — *var. incisa*, 82, 89  
 — — *var. rotundata*, 82, 89  
 — — *var. typica*, 82

- Diphyllea sinensis, 57–62, 64, 65, 67–71, 77–81, 93  
Diphylleaceae, 69  
Diplotaxis, 349, 366, 369  
— muralis, 368  
Dipteryx, 219, 228, 235  
Disporum lanuginosum, 60  
Doliocarpus, 217, 227, 235  
Douglassia, 216, 231, 235  
Draba, 345, 347, 350, 363, 365, 371  
Dracontium, 226, 235  
Drimys, 101  
Dryopetalon, 346  
Dryopteris austriaca, 60  
— crassirhizoma, 60  
— intermedia, 60  
— sinofibrillosa, 60  
Dugortia, 224, 235  
Duguettia, 216, 231, 235  
Dupinia, 228, 235  
Duroia, 219, 232, 235, 240  
Dysosma, 64, 69, 70
- Ebenaceae, 233, 238  
Ehrhardia, 216, 235  
Elaeocarpaceae, 238  
Elettaria cardamomum, 19  
Elmerrillia, 102  
Enourea, 219  
Ensete, 432–434, 448  
Eperua, 219, 224, 235  
Ephielis, 221, 235  
Epithema benthamii, 130  
Ericaceae: A Taxonomic Revision of the American Species of Agarista, 255–342  
Ericaceae, 255, 258  
— tribe Andromedae, 255, 269, 274  
— tribe Cassiopeae, 274  
Eriocaulaceae, 238  
Ernstingia, 221, 235  
Eruca, 366, 369  
— vesicaria subsp. sativa, 370  
Erucastrum, 366, 369  
Erysimum, 347, 348, 365, 373  
— cheiri, 350  
— repandum, 372  
Eubotrys, 257  
Eucryphiaceae, 169  
Euphorbiaceae: Systematics and Palynology of Picrodendron—Further Evidence for Relationship with the Oldfieldioideae, 105–127  
Euphorbiaceae, 109, 114, 119–122, 233, 238  
Euphorbiaceae subfam. Oldfieldioideae, 105, 114, 116–122  
— — tribe Acalypheae, 122  
— — tribe Hyaenancheae, 122  
— — — subtribe Dissiliariinae, 122  
— — — subtribe Paivaeusinae, 122  
— — tribe Picrodendreae, 122  
Evea, 218, 219, 228, 235  
Evolution in the Fagaceae, Inflorescence Architecture and, 375–401
- Fagaceae, Inflorescence Architecture and Evolution in the, 375–401  
Fagaceae, 121, 375–401  
— subfam. Castaneoideae, 376, 377, 395  
— subfam. Fagoideae, 376  
— subfam. Quercoideae, 376  
— subfam. Trigonobalanoideae, 376  
Fagus, 57, 376, 377  
— crenata, 60  
— grandifolia, 60  
Faramea, 219, 235, 239  
Farsetia, 350  
— somalensis, 350  
Ferolia, 219, 224, 235  
First Species of Stauranthera (Gesneriaceae) from New Guinea, The, with General Notes on the Genus, 129–133  
Flacourtiaceae, 234, 238  
Foleyola, 349  
Fothergilla, 220, 232, 234, 235, 241  
Fraxinus, 299  
Freyeria, 222, 235  
Fruits and Seeds of the Cunoniaceae, 149–190
- Galarips, 223, 235  
Galbulimima, 102  
Galipea, 220  
Gaultheria eriophylla, 339  
— glomerata, 339  
— itatiaiae, 339  
— phillyreifolia, 339  
Gaylussacia brasiliensis, 339  
— leptobotrys, 304  
— subcordata, 285  
Geissois, 150, 154, 155, 157, 158, 163–165, 167  
— benthamiana, 152, 157, 172  
— biagiana, 152, 156, 157, 172  
— hippocastaneifolia, 152, 154  
— pruinosa, 152, 154  
— stipularis, 152, 157, 158, 172  
Genipa, 223, 229, 235

- Gentiana, 223, 235  
 Gentianaceae, 232, 238  
*Geococcus pusillus*, 349  
*Gerbera*, 233, 236  
*Gerberia*, 225, 236  
 Gesneriaceae from Brazil, *Cubitanthus*, a New Genus of, 145–147  
 Gesneriaceae: The First Species of Stauranthera from New Guinea, with General Notes on the Genus, 129–133  
 Gesneriaceae, 145, 146, 535  
   — tribe Beslerieae, 146  
*Ghinia*, 228, 236  
*Gillbeea*, 159, 162–167  
   — *papuana*, 152, 172  
 GILLIS, W. T., D. E. STONE, C. R. BROOME, G. L. WEBSTER, and W. J. HAYDEN. Systematics and Palynology of *Picrodendron*: Further Evidence for Relationship with the Oldfieldioideae (Euphorbiaceae), 105–127  
*Ginannia*, 224, 236  
 Ginger Family, 15  
*Glaucidium palmatum*, 59, 60  
 Globulariaceae, 535  
*Glossanthus grandiflorus*, 131  
*Glossoma*, 230, 236  
*Glossopetalum*, 220, 236  
 Gnetaceae, 238  
*Gnetum*, 228, 236  
*Gordonia*, 299  
*Gossypium*, 569  
*Gouphia*, 220, 239  
 Goupiaceae, 238, 240  
 Gramineae, 232, 238  
*Griselinia*, 223, 236  
*Guapira*, 220  
*Guatteria*, 216, 217, 231, 236  
 GUNATILLEKE, C. V. S., and I. A. U. N. GUNATILLEKE. Some Observations on the Reproductive Biology of Three Species of *Cornus* (Cornaceae), 419–427  
 GUNATILLEKE, I. A. U. N., and C. V. S. GUNATILLEKE. Some Observations on the Reproductive Biology of Three Species of *Cornus* (Cornaceae), 419–427  
*Gustavia*, 225, 233, 236, 241  
 Guttiferae, 238
- Haemodoraceae, 238  
*Halopegia*, 50  
 Haloragaceae, 231  
 Hamamelidaceae, 232  
*Hambergera*, 217, 236  
*Hamelia*, 227, 236  
 HAYDEN, W. J., W. T. GILLIS, D. E. STONE, C. R. BROOME, and G. L. WEBSTER. Systematics and Palynology of *Picrodendron*: Further Evidence for Relationship with the Oldfieldioideae (Euphorbiaceae), 105–127  
*Hedychium*, 8, 17, 19, 21–29, 35  
   — subg. *Euosmianthus*, 22  
   — subg. *Gandasulum*, 23  
   — subg. *Hedychium*, 22, 23  
   — *acuminatum*, 26  
   — *chrysoleucum*, 23  
   — *coccineum*, 23, 26  
   — *coronarium*, 7, 16, 21–26  
   — *elwesii*, 23  
   — *flavescens*, 23  
   — *flavum*, 23  
   — *gardnerianum*, 26  
   — *maximum*, 23  
   — *peregrinum*, 23  
   — *spicatum*, 26  
   — *subditum*, 23  
   — *thyrsiforme*, 25  
   — *urophyllum*, 23  
*Hedycrea*, 220, 236  
*Heinzia*, 219, 236  
 Heliconia (Heliconiaceae) with Pendent Inflorescences, Systematics of Central American, 429–532  
*Heliconia*, 429–532  
   — subg. *Platychlamys*, 430, 431  
   — subg. *Stenochlamys*, 430, 431  
   — subg. *Taeniotrobus*, 431  
   — sect. *Heliconia*, 430, 447  
   — sect. *Stenochlamys*, 431  
   — sect. *Taeniotrobus*, 430, 431  
   — *allenii*, 478  
   — *bihai*, 429, 430, 461  
   — *catheta*, 480, 482  
   — *colgantea*, 436, 442, 444–446, 450, 454, 459, 462, 469–472, 524  
   — *collinsiana*, 438, 439, 442, 445, 446, 450, 454, 456, 462, 482, 483  
   — — var. *collinsiana*, 435, 450, 483–486, 524  
   — — var. *velutina*, 450, 480, 483–486  
   — *curtispatha*, 432, 435, 441, 444–447, 450, 456, 458, 459, 463, 486–490, 492, 516, 524  
   — — × *Heliconia pogonantha*, 515  
   — — — var. *holerythra*, 515, 516, 518

- Heliconia danielsiana*, 441, 444–446, 450, 456, 457, 463, 507–510, 512, 514, 524  
 — *dresslerana*, 512  
 — *elegans*, 494  
 — *imbricata*, 430, 439, 447, 450, 451  
 — *indica*, 444  
 — *irrasa*, 478  
 — *latispatha*, 447, 450, 451  
 — *longa*, 486, 488  
 — *maculata*, 435, 436, 439, 442, 450, 454, 456, 462, 464–469, 524  
 — *magnifica*, 435, 436, 441, 450, 456, 457, 463, 505, 509–512, 514, 524  
 — *marginata*, 442, 450, 454, 456, 458, 462, 472–474, 524  
 — *mariae*, 430, 432, 439, 441, 445–447, 450, 456–458, 463, 494–497, 516, 524  
 — — × *Heliconia pogonantha*, 515, 518  
 — — — var. *holerythra*, 515, 516, 518  
 — *mathiasiae*, 447, 450, 451, 458  
 — *metallica*, 436  
 — × *mooreana*, 483  
 — *necrobracteata*, 442, 450, 454, 456, 462–466, 468, 524  
 — *nigripraefixa*, 515  
 — *nutans*, 442, 443, 445, 446, 450, 454, 462, 475–480, 524  
 — — × *Heliconia lankesteri*, 515, 518  
 — — — var. *rubra*, 518  
 — *platystachys*, 434, 442, 450, 454, 456–458, 462, 480–483, 489, 524  
 — *pogonantha*, 441, 443–446, 448, 450, 456–458, 463, 492, 497, 498, 501, 502  
 — — var. *holerythra*, 450, 498, 500, 501, 516  
 — — var. *pogonantha*, 450, 498–500  
 — — var. *pubescens*, 450, 498, 501  
 — — var. *veraguasensis*, 450, 498, 499, 501, 502, 524  
 — *punicea*, 432, 494  
 — *ramonensis*, 435, 441, 450, 456, 457, 463, 498, 502, 503, 505, 506, 512, 514  
 — — var. *glabra*, 450, 503–506  
 — — var. *lanuginosa*, 450, 503–507, 524  
 — — var. *ramonensis*, 450, 503–505, 507  
 — — var. *xanthotricha*, 450, 503–507, 510  
 — *reticulata*, 435  
 — *rostrata*, 482, 486, 487  
 — *schiodeana*, 483  
 — *secunda*, 436, 442, 447, 451, 454, 462, 473–475, 479, 524  
 — — × *Heliconia clinophila*, 515  
 — — var. *secunda*, 451, 474–476
- Heliconia secunda* var. *secunda* × *Heliconia clinophila*, 518  
 — — var. *viridiflora*, 435, 439, 451, 474–476  
 — *sessilis*, 436, 451, 456–458, 463, 492–494, 524  
 — *stilesii*, 436, 439, 441, 443–446, 451, 456, 459, 463, 488–492, 524  
 — — × *Heliconia danielsiana*, 515, 518  
 — *talamanicana*, 436, 442, 451, 454, 462, 466, 468, 469, 524  
 — *tortuosa*, 447, 451, 475, 478  
 — — × *Heliconia nutans*, 515, 518  
 — *trichocarpa*, 435, 438, 439, 442–446, 451, 454, 459, 462, 470–472, 524  
 — — var. *caducispatha*, 470, 472  
 — — var. *trichocarpa*, 472  
 — *vellerigera*, 505, 507, 510  
 — *villosa*, 478  
 — *viridiflora*, 476  
 — *wagneriana*, 447, 451  
 — *xanthovillosa*, 436, 441, 451, 456, 457, 463, 509, 512–514, 524
- Heliconiaceae: Systematics of Central American Heliconia with Pendent Inflorescences**, 429–532
- Heliconiaceae**, 5, 432–434, 448
- Heliconiopsis*, 444, 461  
 — *amboinensis*, 461
- Heliophila*, 347  
 — *scandens*, 349
- Heliotropium ternatum*, 113
- Hesperis*, 347, 365, 371, 373  
 — *matronalis*, 350, 372
- Hevea*, 220
- Heymassoli*, 220
- Himantandraceae**, 102, 103
- Hirtella*, 227, 236
- Holacantha*, 120
- Homalium*, 223, 226, 236
- Houmiri*, 220, 240
- Houmiria*, 220, 236
- Huertea*, 170
- Humiria*, 220, 236, 240
- Humiriaceae**, 238, 240
- Hutera*, 366, 369
- Hydrolea*, 227, 236
- Hydrophyllaceae**, 238
- Hyoscyamus*, 549
- Hyphydra*, 229, 236
- Hypselodelphys*, 50
- Iberis*, 348, 350, 363, 364
- Icacinaceae**, 234, 238

- Icacorea, 220, 232, 236  
Icica, 220, 239  
Idesia, 226, 234, 236  
Ignatia, 226, 236  
Ilex collina and Nemopanthus (Aquifoliaceae), Vegetative Anatomy and the Taxonomic Status of, 243–250  
Ilex, 221, 236, 243, 245, 249  
— subg. Prinus, 243, 248, 249  
— collina, 243–246, 248, 249  
— decidua, 243, 249  
— longipes, 243, 249  
— serrata, 249  
— verticillata, 249  
Inflorescence Architecture and Evolution in the Fagaceae, 375–401  
Iodanthus, 367, 371  
Iridaceae, 238  
Iroucana, 220  
Irvingia, 120, 121  
Isatis, 347  
— tinctoria, 350  
Ivira, 220  
Ixora, 224, 236  
  
Japarandiba, 233, 236, 241  
Jatropha, 220, 236  
Jeffersonia, 57  
JOHNSON, L. C., S. E. SCHLARBAUM, and T. TSUCHIYA. The Chromosomes and Relationships of Metasequoia and Sequoia (Taxodiaceae): an Update, 251–254  
Joncquetia, 228, 236  
JUDD, WALTER S. A Taxonomic Revision of the American Species of Agarista (Ericaceae), 255–342  
Juglandaceae, 106, 109, 120, 121, 396  
Juglans baccata, 106, 108–110  
Juncaceae, 17  
Juniperus virginiana, 544  
  
Kaempferia, 19  
Kalawael, 234, 236  
KAUL, ROBERT B., and ERNST C. ABBE. Inflorescence Architecture and Evolution in the Fagaceae, 375–401  
Kingdonia uniflora, 60  
Kinugasa japonica, 60  
Klainedoха, 120, 121  
Knoxia, 219, 236  
KRESS, W. JOHN. Systematics of Central American Heliconia (Heliconiaceae) with Pendent Inflorescences, 429–532  
Kruegeria, 230, 236  
  
Labatia, 221, 225, 232, 233, 236  
Labiatae: Notes on *Salvia* in Mexico, with Three New Species, 135–143  
Labiatae, 234  
Lacis, 222, 236  
LAFRANKIE, JAMES V., JR. Anatomy of Stem Abscission in the Genus *Smilacina* (Liliaceae), 563–570  
Laguncularia racemosa, 113  
Lagunezia, 226, 236  
Lamanonia, 150, 155, 157, 165, 167  
— ternata, 152, 172  
— tomentosa, 152, 172  
Landia, 234, 236  
Landolphia, 223, 236  
Languas speciosa, 16  
Lasiostoma, 226, 236  
Lauraceae, 238  
Leavenworthia, 344, 345, 363, 371, 372  
— stylosa, 372  
— torulosa, 372  
— uniflora, 372  
Lecythidaceae, 238  
Legnotis, 218, 231, 236  
Leguminosae, 232, 233, 238, 240  
Leinkeria, 226, 236  
Lemnaceae, 233, 563  
Lemniscia, 229, 236  
Lentibulariaceae, 535  
Leonicenia, 220, 232, 236  
Lepidium, 344–347, 349, 364, 369  
— campestre, 368  
— sativum, 350  
— virginicum, 368  
Lesquerella, 344, 347, 365, 371  
Leucothoë, 255–258  
— subg. Agarista, 257, 274, 282  
— subg. Euleucothoë, 257  
— sect. Agastia, 256, 257, 274, 282  
— sect. Agauria, 257, 274, 339  
— sect. Euleucothoë, 257  
— acicularis, 270, 327, 329  
— acuminata, 297  
— albiflora, 282  
— ambigua var. ambigua, 309  
— — var. glabra, 310  
— — var. hispidula, 309  
— — var. longifolia, 310  
— — var. parvifolia, 332  
— — var. peduncularis, 309  
— — var. tomentella, 309  
— andina, 282  
— angustissima, 337  
— bahiensis var. arrabidae, 289

- Leucothoë bahiensis* var. *bahiensis*, 288  
 — — var. *blanchetii*, 288  
 — — var. *salzmannii*, 288  
 — *bracamorensis*, 285  
 — *bradei*, 302  
 — *breviflora*, 325  
 — *chapadensis*, 306  
 — *chlorantha*, 321  
 — — var. *subcanescens*, 321  
 — *columbiana*, 282  
 — *cordifolia*, 316  
 — *coriifolia*, 300  
 — *crassifolia*, 301  
 — — var. *crassifolia*, 301  
 — — var. *macrophylla*, 301  
 — — var. *reticulata*, 301  
 — — var. *subevenia*, 301  
 — — var. *subreticulata*, 301  
 — *duartei*, 338  
 — *duckei*, 286  
 — *ericoides*, 327  
 — *eucalyptoides*, 334  
 — — var. *glaberrima*, 336  
 — *hispidula*, 325  
 — *intermedia*, 325, 327  
 — *laxiflora* var. *hookeriana*, 301  
 — — var. *laxiflora*, 301  
 — — var. *martii*, 301  
 — — var. *sellowii*, 300  
 — — var. *subcordata*, 301  
 — *lycopodioides*, 270, 327, 329  
 — *martii* var. *glabra*, 310  
 — — var. *puberula*, 310  
 — *mexicana*, 291  
 — — var. *pinetorum*, 292  
 — *minensis*, 313  
 — *multiflora*, 334  
 — — var. *brevipes*, 334  
 — — var. *eucalyptoides*, 334  
 — — var. *petiolaris*, 334  
 — — var. *pohlii*, 334  
 — *neriifolia*, 300  
 — *niederleinii*, 329  
 — *nummularia*, 317  
 — — var. *floccigera*, 270, 317  
 — *oleifolia*, 309  
 — — var. *glabra*, 310  
 — — var. *hispidula*, 270, 309  
 — — var. *longifolia*, 310  
 — *organensis*, 323  
 — *paraguayensis*, 307  
 — — var. *calva*, 307  
 — *pinetorum*, 292  
 — *pistrix*, 305  
 — *Leucothoë pohlii*, 301  
 — — var. *populifolia*, 297  
 — — var. *pulchella*, 315  
 — — var. *cordifolia*, 316  
 — — var. *pulchra*, 304  
 — — var. *parvifolia*, 304  
 — — var. *revoluta*, 288  
 — — var. *arrabidae*, 289  
 — — var. *blanchetii*, 288  
 — — var. *salzmannii*, 288  
 — — var. *sellowii*, 288  
 — — var. *rivularis*, 309  
 — — var. *serrulata*, 321  
 — — var. *spectabilis*, 310  
 — — var. *stenophylla*, 309, 313  
 — — var. *subcanescens*, 321  
 — — var. *subcordata*, 285  
 — — var. *subrotunda*, 305  
 — — var. *pistrix*, 305  
 — — var. *uleana*, 332  
 — — var. *varnhageniana*, 312  
 — — var. *venezuelensis*, 286, 287  
*Lewisia*, 549  
*Licania*, 220, 222, 231, 236  
*Licaria*, 220  
*Lignonia*, 224, 236  
*Ligularia stenocephala*, 60  
*Liliaceae: Anatomy of Stem Abscission in the Genus Smilacina*, 563–570  
*Liliaceae*, 563  
*Limborchia*, 219, 236  
*Lindera benzoin*, 60, 416  
 — *umbellata*, 60  
*Linociera*, 222, 232, 236  
 — *bumeloides*, 113  
*Liquidambar*, 291, 292, 295, 299  
*Liriodendron*, 57, 100, 101, 103  
 — *chinensis*, 60  
 — *tulipifera*, 101  
*Lita*, 230, 236  
*Lithocarpus*, 376–378, 380–384, 391–396, 399  
 — *aggregata*, 378, 380, 399  
 — *amygdalifolia*, 380, 399  
 — *bennettii*, 382, 399  
 — *bolovensis*, 381, 399  
 — *brevicaudata*, 399  
 — *buddii*, 399  
 — *cantleyana*, 399  
 — *caudatifolia*, 384, 399  
 — *celebica*, 399  
 — *clementiana*, 399  
 — *conocarpa*, 399  
 — *cooperta*, 381, 383, 399

- Lithocarpus cornea*, 399  
 — *curtisii*, 382, 384, 399  
 — *dasystachya*, 378, 399  
 — *dealbata*, 399  
 — *densiflora*, 376, 381, 391, 392, 399  
 — *echinocarpa*, 382, 399  
 — *edulis*, 399  
 — *elegans*, 396, 399  
 — *ewyckii*, 381, 399  
 — *fenestrata*, 399  
 — *formosana*, 399  
 — *garrettiana*, 399  
 — *gracilis*, 399  
 — *hancei*, 399  
 — *harmandii*, 399  
 — *havilandii*, 380, 399  
 — *hendersoniana*, 399  
 — *hystrix*, 399  
 — *kawakamii*, 384, 399  
 — *kodaihoensis*, 382, 399  
 — *konishii*, 399  
 — *lampadaria*, 383, 399  
 — *leptogyne*, 399  
 — *lucida*, 399  
 — *macphailii*, 399  
 — *maingayi*, 399  
 — *meijeri*, 400  
 — *mindanaënsis*, 400  
 — *nantoensis*, 400  
 — *neorobinsonii*, 400  
 — *nieuwenhuisii*, 384, 400  
 — *nodosa*, 380, 400  
 — *papillifer*, 400  
 — *pattaniensis*, 400  
 — *polystachya*, 400  
 — *rassa*, 400  
 — *reinwardtii*, 400  
 — *rhombocarpa*, 400  
 — *rufovillosa*, 400  
 — *soleriana*, 400  
 — *sootepensis*, 380, 400  
 — *sundaica*, 383, 400  
 — *ternaticupula*, 400  
 — *thomsonii*, 381, 400  
 — *truncata*, 400  
 — *turbinata*, 382, 400  
 — *urceolaris*, 400  
 — *wallichiana*, 400  
 — *woodii*, 400  
 — *wrayi*, 400  
*Lithodraba mendociensis*, 349  
*Littorella*, 534–536  
 — *americana*, 534  
 — *australis*, 534  
*Littorella uniflora*, 534, 535  
*Littorellaceae*, 534  
*Lobularia*, 364, 371  
 — *maritima*, 350, 371  
*Logania*, 234, 236  
*Loganiaceae*, 234, 238, 535  
*Loghania*, 227, 236  
*Loishoglia bettencourtii*, from the Upper Cretaceous of Central California, A Possible Magnolioid Floral Axis, 95–104  
*Loishoglia*, 99, 101–103  
 — *bettencourtii*, 95–104  
*Lonicera kungeana*, 60  
*Lowiaceae*, 5, 432, 433  
*Loxonia*, 130  
*Lunaria*, 345, 348, 364, 371  
 — *annua*, 350  
 — *rediviva*, 350  
*Lygustum*, 223, 236  
*Lyonia*, 255, 256, 261, 267, 272, 295  
 — subg. *Eubotrys*, 257  
 — *ferruginea*, 267  
 — *fruticosa*, 267  
 — *lucida*, 289, 297  
 — *mariana*, 315  
 — *ovalifolia*, 333  
 — *populifolia*, 297  
 — *squamulosa*, 267  
*Lyrocarpa*, 346  
*Lythraceae*, 238  
*Mabea*, 220, 239  
*Macahanea*, 221  
*Macanea*, 221, 236  
*Macoubea*, 221  
*Macoucoua*, 221, 233, 236  
*Macrolobium*, 223, 230, 236  
*Magnolia*, 57, 100–103  
 — *acuminata*, 60  
 — *fraseri*, 60  
 — *grandiflora*, 101  
*Magnoliaceae*, 100–103  
*Magnoliaceoxylon panochensis*, 102  
*Magnolioid Floral Axis*, A Possible, Loishoglia bettencourtii, from the Upper Cretaceous of Central California, 95–104  
*Mahonia*, 68  
*Mahurea*, 221  
*Maieta*, 221  
*Maireria*, 222, 236  
*Malanea*, 221  
*Malcolmia*, 363, 365  
 — *africana*, 363  
*Manabea*, 221, 239

- Managa, 221  
Manettia, 223, 236  
Mapania, 221  
Mapouria, 221, 224, 227, 236  
Mappia, 227, 234, 236  
Maprounea, 221  
Maquira, 221  
Maranta, 9, 40, 43, 51–55  
— subg. *Automaranta*, 52  
— subg. *Calatheastrum*, 52  
— subg. *Friedrichsthalia*, 52  
— subg. *Koernickea*, 52  
— subg. *Maranta*, 52  
— sect. *Eumaranta*, 52  
— sect. *Saranthe*, 52  
— sect. *Stromanthe*, 52  
— sect. *Xerolepis*, 52  
— arundinacea, 34, 40, 43, 51–54  
— bicolor, 53  
— divaricata, 52  
— friedrichsthaliana, 52  
— leuconeura, 53  
— — var. *erythroneura*, 53  
— ruziana, 51  
Marantaceae, Zingiberaceae, and Cannaceae: The Zingiberales in the Southeastern United States, 5–55  
Marantaceae, 5–7, 9, 34, 39–45, 49, 50, 433  
— tribe *Maranteae*, 40  
— tribe *Phrynieae*, 40  
Marantochloa, 53  
Marcgraviaceae, 238  
Marica, 218, 236  
Maripa, 221, 222, 236  
Mariscus, 226, 233, 236, 240  
Matayba, 221  
Matelea, 221, 239  
Matourea, 221  
Matthiola, 363, 365  
— incana, 350  
— longipetala, 363  
Mattuschkaea, 224, 236  
Mayaca, 222  
Mayacaceae, 238, 240  
Mayepea, 222, 232, 236  
Mayna, 222  
Meborea, 222  
*Megacarpaea megalocarpa*, 349  
— *polyandra*, 344  
Meisteria, 223, 236  
Melastoma, 220, 221, 229, 236  
Melastomataceae, 232, 238  
Meliaceae, 238  
Menispermaceae, 238  
Metasequoia and Sequoia (Taxodiaceae), The Chromosomes and Relationships of: an Update, 251–254  
Metasequoia, 251–253  
— *glyptostroboides*, 251, 253  
Mexico, Notes on *Salvia* (Labiatae) in, with Three New Species, 135–143  
Michelia, 100, 102, 103  
Miconia, 220, 232, 236  
Mieglia, 226, 236  
Minquartia, 222  
Mischodon, 120  
— *zeylanicus*, 106, 119  
Mnasion, 226, 236  
Moelleria, 220, 236  
Moniera, 231, 236  
Monimiaceae, 238  
Monocostus, 16  
Monograph of *Diphylleia* (Berberidaceae), A, 57–94  
Monophyllanthe, 52, 53  
Montira, 222  
Moquilea, 222  
Moraceae, 238  
Morisia monanthos, 349  
Moronoea, 222  
Mourera, 222  
Mouriri, 222  
Mouroucoa, 222  
Moutabea, 222  
Moutouchi, 223  
Muellera, 218, 236  
Musa, 8, 429, 432–434, 448  
— bihai, 429  
Musaceae, 5, 8, 17, 43, 432–434, 448  
— subfam. *Lowioideae*, 433  
— subfam. *Musoideae*, 433  
— subfam. *Strelitzioideae*, 433  
— — tribe *Strelitzieae*, 433  
— tribe *Heliconieae*, 433  
— tribe *Museae*, 433  
Mussaenda, 227, 236  
Mustard Family, 344  
Myristica, 230, 236  
Myristicaceae, 238  
Myrmecia, 227, 236  
Myrodendrum, 220, 236  
Myrodia, 225, 233, 236  
Myrsinaceae, 238  
Myrsine, 226, 236  
Myrtaceae, 238  
Myrtus, 222, 236

- Nacibea, 223, 239  
Napimoga, 223  
Nasturtium, 367, 371  
— officinale, 350, 372  
Nauclea, 223, 236  
Nectandra, 223, 236  
Nectris, 217, 236  
Nemopanthus (AQUIFOLIACEAE), Vegetative Anatomy and the Taxonomic Status of *Ilex collina* and, 243–250  
Nemopanthus, 243, 248, 249  
— collinus, 243  
— mucronatus, 243, 245–249  
New Guinea, The First Species of Stauranthera (GESNERIACEAE) from, with General Notes on the Genus, 129–133  
Nicandra, 225, 233, 236  
Nicolaia, 19  
Nolanaceae, 234  
Nonatelia, 223, 239  
Norantea, 223  
Notes on Salvia (LABIATAE) in Mexico, with Three New Species, 135–143  
Nothofagaceae, 376  
Nothofagus, 375–377  
Nyctaginaceae, 238  
Nyssa, 299
- Ochnaceae, 238  
Ocotea, 223  
Odontychium, 25  
Olacaceae, 238  
Oldfieldia, 122  
— africana, 106, 118  
Oldfieldioideae (EUPHORBIACEAE), Systematics and Palynology of Picrodendron: Further Evidence for Relationship with the, 105–127  
Oleaceae, 238  
Opocunonia, 168  
Orchidantha, 432  
Orelia, 223, 240  
Oreocallis, 257  
Oreophytum, 345  
Oribasia, 223, 236  
Ornithocarpa, 346  
Ornitrophe, 230, 236  
Orobanchaceae, 535  
Ouratea, 223, 232, 236, 240  
Ourouparia, 223  
Outea, 223, 230, 236  
Oxalis acetosella, 60  
Ozophyllum, 229, 236
- Pachira, 223  
Pacouria, 216, 223, 236, 240  
Pacourina, 223  
Pagamea, 223  
PAGE, VIRGINIA M. A Possible Magnolid Floral Axis, *Loishoglia bettencourtii*, from the Upper Cretaceous of Central California, 95–104  
Palicourea, 224, 227, 236  
Palm Rhapis excelsa, Anatomy of the, X. Differentiation of Stem Conducting Tissue, 191–214  
Paloue, 224  
Palovea, 224, 236  
Palynology of Picrodendron, Systematics and: Further Evidence for Relationship with the Oldfieldioideae (EUPHORBIACEAE), 105–127  
Pamea, 224, 233, 236, 240  
Panax pseudo-ginseng var. bipinnatifidus, 60  
Pancheria, 150, 155, 156, 158, 165, 168  
— confusa, 152, 154, 155, 158, 172  
— elegans, 152, 157, 172  
— gatopensis, 154, 158  
— hirsuta, 152, 172  
— reticulata, 152  
— robusta, 152, 154, 174  
— sebertii, 152, 157, 172  
Paralea, 224  
Pariana, 224  
Parinari, 224, 239  
Parinarium, 219, 224, 236  
Paris polyphylla, 60  
— tetraphylla, 60  
— thibetica, 60  
Parivoa, 219, 224, 236, 239  
Parolinia, 350  
Passifloraceae, 238, 240  
Passoura, 224, 226, 236  
Patabea, 224, 229, 236  
Patima, 224  
Paullinia, 219, 236  
Pavetta, 221, 236  
Paypayrola, 224  
Payrola, 224, 236  
Pecheya, 219, 236  
Pekea, 224, 227, 236, 239  
Peracarpa carnosa var. circaeoides, 60  
Perama, 224  
Perebea, 224  
Persea, 299  
Petaloma, 222, 236  
Petrocarya, 224, 236

- Phaeomeria, 19
- Phaseolus, 569
- Phenakospermum, 432–434
- Phrymaceae, 534
- Phyllanthus, 218, 222, 236
- Physaria, 347
- Picea jezoensis, 60
  - rubens, 60
  - wilsonii, 60
- Picramnia, 228, 236
- Picrasma, 120
- Picrium, 219, 236
- Picrodendraceae, 109, 121
- Picrodendron, Systematics and Palynology of: Further Evidence for Relationship with the Oldfieldioideae (Euphorbiaceae), 105–127
- Picrodendron, 105–127
  - arboreum, 108, 113
  - baccatum, 106–116
    - — var. bahamense, 108, 110
    - juglans, 108, 110
    - macrocarpum, 108, 110
    - medium, 108, 110
  - oocarpa, 291
  - rufis, 291
  - teocode, 291
- Piparea, 225
- Piper, 226, 236
- Piperaceae, 238
- Piranhea, 122
  - longepedunculata, 106, 118
- Piratinera, 225
- Pirigara, 225, 233, 236, 239–241
  - tetrapetala, 233
- Piripecta, 225
- Piriqueta, 225
- Pisonia, 220, 237
- Pitumba, 225
- Plagiogyria matsumureana, 60
- Plantaginaceae in the Southeastern United States, The, 533–562
- Plantaginaceae, 533–562
- Plantago, 534–536, 540, 542–562
  - subg. Coronopus sect. Coronopus, 548, 550
    - — sect. Maritima, 551
    - — sect. Plantago, 543
    - — sect. Lamprosantha, 550
    - — sect. Micropsyllum, 543, 546
    - — sect. Palaeopsylgium, 544, 545
    - — sect. Plantago, 543, 548, 550
  - subg. Plantago sect. Virginica, 545
    - — subg. Psyllium, 543
    - — — sect. Albicans, 548
    - — — sect. Gnaphaloides, 546, 548, 550
      - — — ser. Gnaphaloides, 546, 547
    - — — sect. Lancifolia, 546, 548, 550
    - — — sect. Montana, 551
    - — — sect. Psyllium, 547, 548
    - — sect. Arnoglossum, 546
    - — sect. Cleiosantha, 545
    - — sect. Leucopsylgium, 545–548
    - — sect. Novorbis, 545
    - — sect. Oreophytum, 545
    - — altissima, 549
    - — arenaria, 547
    - — aristata, 540, 546, 547, 550
    - — cordata, 544, 545
      - — × Plantago eriopoda, 545, 550
    - — coronopus, 550
    - — elongata, 544
    - — fastigiata, 548
    - — heterophylla, 543, 544
    - — hookeriana var. nuda, 546
    - — hybrida, 544
    - — indica, 547
    - — insularis, 548
    - — lagopus, 548
    - — lanceolata, 536, 540, 542, 546–553
    - — macrocarpa, 542
    - — major, 535, 541–544, 547–550, 552, 553
    - — maritima, 552
    - — media, 548, 550, 552
    - — ovata, 548, 550
    - — patagonica, 546, 547
    - — psyllium, 547, 549, 553
    - — purshii, 546
    - — pusilla, 543, 544, 549
    - — rhodosperma, 545, 546, 550
    - — rugelii, 541, 543, 544, 548–550
    - — sparsiflora, 545
    - — virginica, 545, 546
    - — wrightiana, 546, 547, 550
- Plantain, 542
- Plantain Family, 533
- Platylophys, 159, 162, 163, 165, 166, 169
  - trifoliatus, 152, 172, 174
- Plotia, 226, 237
- Plumbaginaceae, 534–536
- Podophyllaceae, 59, 69, 70
  - subfam. Glauadioideae, 59
  - subfam. Podophylloideae, 59
- Podophyllum, 57, 59, 64, 69, 70
  - peltatum, 59, 77
- Podostemonaceae, 238

- Polygalaceae, 238  
*Polygonatum pubescens*, 60  
 — *roseum*, 60  
*Polystichum acrostichoides*, 60  
 — *retrorso-paleaceum*, 60  
*Ponaea*, 229, 237  
*Pontopidana*, 219, 237  
*Populus*, 191, 212  
 — *deltoides*, 416  
*Poraqueiba*, 225  
*Porostema*, 223, 237  
*Portlandia*, 219, 237  
*Portulaca*, 549  
*Portulacaceae*, 549  
*Posoqueria*, 225  
 Possible Magnolioid Floral Axis, Lois-hoglia bettencourtii, from the Upper Cretaceous of Central California, A, 95–104  
*Possira*, 225  
*Potalia*, 225  
*Pourouma*, 225  
*Pouteria*, 225  
*Primulaceae*, 534, 535, 549  
*Pringlea antiscorbutica*, 349  
*Proteaceae*, 238  
*Protium*, 220, 237  
*Prunus gracilifolia*, 60  
 — *grayana*, 60  
 — *serotina*, 60  
*Pseudanthus*, 120  
*Pseudo-Brasilium*, 228, 237  
*Pseudocarpidium wrightii*, 113  
*Pseudocystopteris spinulosa*, 60  
*Pseudoweinmannia*, 159, 160, 164–168  
 — *lachnocarpa*, 152, 160, 172, 174  
*Psychotria*, 218, 221, 223, 226, 228, 237  
*Psylliaceae*, 534  
*Psyllium*, 542  
*Pterocarpus*, 223, 232, 237  
*Pullea*, 159, 160, 163–169  
 — *glabra*, 152, 159, 160, 174  
 — — var. *glabra*, 159, 160  
 — *stutzeri*, 152, 160, 174  
  
*Qualea*, 225, 239  
*Quapoya*, 225, 239  
*Quararibea*, 225, 233, 236  
*Quassia*, 121, 227, 237  
*Quebitea*, 226  
*Quercus*, 291, 292, 295, 299, 376, 377, 381–383, 386–395, 400  
 — *acuta*, 388, 400  
 — *borealis*, 390, 400  
  
*Quercus brandisiana*, 389, 400  
 — *cambodiensis*, 389, 400  
 — *championii*, 388, 389, 400  
 — *chapensis*, 389  
 — *chrysolepis*, 400  
 — *elmeri*, 389, 400  
 — *gilva*, 388, 400  
 — *glauca*, 388, 400  
 — *griffithii*, 389, 400  
 — *imbricaria*, 390, 400  
 — *kinabaluensis*, 389, 400  
 — *kingiana*, 389, 392, 400  
 — *lanata*, 400  
 — *lowii*, 400  
 — *merrillii*, 400  
 — *mespilifoloides*, 389, 400  
 — *morii*, 388, 400  
 — *myrsinaefolia*, 388, 400  
 — *pachyloma*, 400  
 — *paucidentata*, 400  
 — *phillyraeoides*, 388, 400  
 — *salicina*, 400  
 — *serrata*, 389, 400  
 — *stenophylloides*, 388, 400  
 — *subsericea*, 400  
 — *uraiana*, 386, 400  
 — *valdinervosa*, 389, 400  
 — *virginiana*, 400  
*Quiina*, 226  
*Quiinaceae*, 238, 240  
  
*Racaria*, 226  
*Racoubea*, 226  
 RAMAMOORTHY, T. P. Notes on *Salvia* (Labiatae) in Mexico, with Three New Species, 135–143  
*Ramspechia*, 225, 237  
*Ranunculaceae*, 70  
*Rapanea*, 226  
*Rapatea*, 226  
*Rapateaceae*, 238, 240  
*Raphanaceae*, 345  
*Raphanus*, 349, 363, 369  
 — *rappanistrum*, 370  
 — *sativus*, 350, 370  
*Rapistrum*, 363, 369  
*Raputia*, 226  
*Ravenala*, 432–434  
*Reicheliea*, 227, 237  
 Relationships of *Metasequoia* and *Sequoia* (Taxodiaceae), The Chromosomes and: an Update, 251–254  
*Remirea*, 226, 233, 237, 240  
*Renealmia*, 16

- Reproductive Biology of Three Species of *Cornus* (Cornaceae), Some Observations on the, 419-427
- Rhipis excelsa*, Anatomy of the Palm, X. Differentiation of Stem Conducting Tissue, 191-214
- Rhipis*, 192, 194, 211  
— *excelsa*, 191-214
- Rhinium*, 229, 234, 237
- Rhizobolus*, 224, 237
- Rhizophoraceae*, 238
- Rhododendron catawbiense*, 61  
— *concinnum*, 61  
— *fargesii*, 61  
— *maximum*, 61  
— *purdomii*, 61
- Rhoipteleaceae*, 120
- Rhopium*, 222, 237
- Rhus*, 108, 416  
— *arborea*, 108, 113  
— *typhina*, 411, 416
- Rhynchosciadium brandisii*, 129
- Riana*, 224, 226, 237
- Ribes glaciale*, 61  
— *rotundifolia*, 61
- Rinorea*, 218, 224, 226, 232, 233, 237, 240
- Rittera*, 225, 237
- Robergia*, 226, 237
- Robinsonia*, 229, 234, 237
- ROGERS, GEORGE K.** The Zingiberales (Cannaceae, Marantaceae, and Zingiberaceae) in the Southeastern United States, 5-55
- Rohria*, 228, 237
- Romanschulzia*, 345
- Ronabea*, 226, 239
- Ropourea*, 226, 233, 237
- Rorippa*, 345, 347, 364, 367, 371
- Rosa omeiensis*, 61
- ROSATTI, THOMAS J.** The Plantaginaceae in the Southeastern United States, 533-562
- Roscoea*, 19
- Rosenkrantzia*, 121  
— *picrodendroides*, 121
- Rottboelia*, 220, 237
- Rottboellia*, 232, 237
- Rouhamon*, 226
- Roupala*, 226
- Rourea*, 226, 234, 237
- Rubiaceae*, 238, 240, 534
- Rubus giraldianus*, 80  
— *pileatus*, 80
- Russelia*, 145  
— *alata*, 145, 146
- Rutaceae*, 233, 238
- Ruyschia*, 227, 237
- Sabal*, 299
- Sabicea*, 227, 239
- Sagonea*, 227
- Salacia*, 221, 237
- Salix cathayana*, 61
- Salmasia*, 227, 237
- Salmonia*, 230, 237
- Salvia* (Labiatae) in Mexico, Notes on, with Three New Species, 135-143
- Salvia*, 135-143  
— subg. *Calophace*, 135  
— — sect. *Curtiflorae*, 142, 143  
— — sect. *Scorodonia*, 139  
— — sect. *Tomentellae*, 137  
— — sect. *Tubiflorae*, 141-143  
— *anastomosans*, 135-137  
— *boegei*, 137-139  
— *breviflora*, 139  
— *candicans*, 137  
— *excelsa*, 141, 142  
— *fulgens*, 135  
— *hispanica*, 135  
— *longiflora*, 141, 142  
— *nervata*, 143  
— *rzedowskii*, 139-141  
— *tubifera*, 135, 141-143  
— *venosa*, 141, 142
- Sauvarei*, 224, 227, 237, 239
- Sapindaceae*, 108, 238
- Sapotaceae*, 232, 238
- Saranthe*, 52, 53
- Sarracenia*, 69
- Savastania*, 229, 237
- Saxifraga micranthidifolia*, 61
- Saxifragaceae*, 169
- Schisandra incarnata*, 61  
— *sphenanthera*, 61
- Schizomeria*, 159, 160, 162-165, 167, 168  
— *ilicina*, 152, 172  
— *ovata*, 152, 174  
— *whitei*, 152, 174
- Schizopetalon*, 346
- SCHLARBAUM, S. E., T. TSUCHIYA, and L. C. JOHNSON.** The Chromosomes and Relationships of *Metasequoia* and *Sequoia* (Taxodiaceae): an Update, 251-254
- Schmidelia*, 108  
— *macrocarpa*, 108, 110
- SCHUBERT, BERNICE G.** Temple Clayton, Chemist and Amateur Botanist, 1914-1978, 1-4

- Schwenkfelda, 227, 237  
 Schwenkfeldia, 227, 237  
 Scitamineae, 432, 433  
   — tribe Canneae, 433  
   — tribe Maranteae, 433  
   — tribe Museae, 433  
   — tribe Zingibereae, 433  
 Sciuris, 226, 237  
 Scrophulariaceae, 145, 146, 231, 234, 238, 534–536  
 Seeds of the Cunoniaceae, Fruits and, 149–190  
 Selenia, 344, 364, 371  
   — aurea, 371  
 Senapea, 227, 240  
 Sequoia (Taxodiaceae), The Chromosomes and Relationships of Metasequoia and: an Update, 251–254  
 Sequoia, 251–253  
   — gigantea, 251  
   — sempervirens, 251–253  
 Sequoiadendron giganteum, 251  
 Sibara, 366, 371  
   — virginica, 372  
 Sicelium, 224, 229, 233, 237  
 Simaba, 217, 227, 237  
 Simarouba, 120, 227  
 Simaroubaceae, 109, 120, 238, 240  
 Simaruba, 234, 237  
 Simira, 221, 224, 227, 237  
 Sinapis, 366, 369  
   — alba, 350, 368  
 Sinarundinaria indica, 61  
 Singana, 227  
 Sipanea, 227  
 Siparuna, 227  
 Siphonia, 220, 237  
 Sisymbrium, 347, 367, 373  
 Sloanea, 216, 217, 219, 232, 237  
 Smilacina (Liliaceae), Anatomy of Stem Abscission in the Genus, 563–570  
 Smilacina, 563–570  
   — henryi, 61  
   — japonica, 61, 563, 566, 567  
   — paniculata, 563, 566–569  
   — racemosa, 61, 563, 564, 566–569  
   — scilloidea, 563, 566, 569  
   — stellata, 563, 566, 567, 569  
 Smithia, 225, 233, 237  
 Solanaceae, 232, 233, 238, 549  
 Solanum, 217, 237  
 Some Observations on the Reproductive Biology of Three Species of *Cornus* (Cornaceae), 419–427  
 Sonneratiaceae, 231  
 Soramia, 227  
 Sorbus koehneana, 61  
 Souroubea, 227  
 Southeastern United States, The Plantaginaceae in the, 533–562  
 Southeastern United States, The Tribes of Cruciferae (Brassicaceae) in the, 343–373  
 Southeastern United States, The Zingiberales (Cannaceae, Marantaceae, and Zingiberaceae) in the, 5–55  
 Sphagnum, 325  
 Spigelia, 222, 237  
 Spiraeanthemum, 150, 155, 164, 165, 167, 169  
   — katakata, 152, 157, 173  
   — macgillivrayi, 152, 172  
   — samoense, 152, 157  
 Spiraeopsis, 168  
 Spirematospermum wetzleri, 18  
 Stadiochilus, 25  
 Stanleya, 348  
 Staphyleaceae, 169, 170  
 Stauranthera (Gesneriaceae) from New Guinea, The First Species of, with General Notes on the Genus, 129–133  
 Stauranthera, 129–133  
   — argyrescens, 129–132  
   — brandisii, 129  
   — caerulea, 129  
   — chiriftiora, 129  
   — ecalcarata, 129  
   — grandiflora, 129–131  
   — grandifolia, 131  
   — ionantha, 129  
   — johannis-winkleri, 129, 131  
   — novoguineensis, 129–132  
   — parvifolia, 129  
   — philippinensis, 129, 130  
   — tsiangiana, 129  
   — umbrosa, 129  
 Stem Abscission in the Genus *Smilacina* (Liliaceae), Anatomy of, 563–570  
 Stem Conducting Tissue, Differentiation of. Anatomy of the Palm *Rhipis excelsa*, X, 191–214  
 Stemodia, 221, 237  
 Stenopetalum, 347  
 Stephanium, 224, 237  
 Sterbeckia, 227, 237  
 Sterculia, 220, 237  
 Sterculiaceae, 238  
 Stollaea, 168  
 STONE, D. E., C. R. BROOME, G. L.

- WEBSTER, W. J. HAYDEN, and W. T. GILLIS. Systematics and Palynology of *Picrodendron*: Further Evidence for Relationship with the Oldfieldioideae (Euphorbiaceae), 105-127
- Strelitzia*, 432-434
- Strelitziaceae*, 5, 433, 434, 448
- Streptanthus*, 344, 347, 348, 366, 369
- Streptopus roseus*, 61  
— *streptopoides* var. *japonicus*, 61
- Stromanthe*, 43, 52, 53
- Strychnos*, 226, 237
- Styrax*, 291
- Subularia aquatica*, 349
- Suriana maritima*, 113
- Swartzia*, 225, 229, 237
- Swertia*, 223, 237
- Syena*, 222, 237
- Symphonia*, 222, 237
- Symplocaceae*, 238
- Symplocos*, 218, 237
- Systematics and Palynology of *Picrodendron*: Further Evidence for Relationship with the Oldfieldioideae (Euphorbiaceae), 105-127
- Systematics of Central American Heliconia (Heliconiaceae) with Pendent Inflorescences, 429-532
- Tabebuia rosea*, 416
- Tachia*, 227
- Tachibota*, 227
- Tachigali*, 227, 239
- Taligalea*, 228
- Talisia*, 226, 228, 237
- Tamonea*, 228, 232, 234, 237
- Tampa*, 228
- Tanibouca*, 228
- Taonabo*, 228, 239
- Tapeinochilos*, 16
- Tapia*, 108
- Tapirira*, 228
- Tapiscia*, 170
- Tapogomea*, 218, 219, 228, 237, 239
- Tapura*, 228
- Taralea*, 219, 228, 237
- Tariri*, 228
- Tattia*, 223, 237
- Tauscheria*, 349
- Taxodiaceae, The Chromosomes and Relationships of *Metasequoia* and *Sequoia*: an Update, 251-254
- Taxodiaceae, 232
- Taxodium*, 299
- Taxonomic Revision of the American Species of *Agarista* (Ericaceae), A, 255-342
- Taxonomic Status of *Ilex collina* and *Nemopanthus* (Aequifoliaceae), Vegetative Anatomy and the, 243-250
- Teesdalia*, 344, 364, 369  
— *nudicaulis*, 370
- TERABAYASHI, SUSUMU, DAVID E. BOUFFORD, and TSÜN-SHEN YING. A Monograph of *Diphylleia* (Berberidaceae), 57-94
- Terebinthaceae*, 109
- Terminalia*, 228, 237
- Ternstroemia*, 228, 237
- Tetracera*, 229, 237
- Tetracoccus*, 120  
— *dioicus*, 106, 118, 119  
— *hallii*, 106, 118
- Thalia*, 9, 40, 45-51  
— subg. *Anomothalia*, 50  
— subg. *Arthrothalia*, 50  
— subg. *Euthalia*, 50  
— subg. *Sarothalia*, 50  
— *barbata*, 49  
— *dealbata*, 42, 45, 48-50  
— *divaricata*, 49  
— *geniculata*, 45-50, 55  
— — *f. rheumoides*, 49  
— *trichocalyx*, 49  
— *welwitschii*, 47, 49
- Thalictrum clavatum*, 61  
— *ichangense*, 61  
— *przewalskii*, 61
- Theaceae, 238
- Thelypodium*, 367
- Thespesia populnea*, 113
- Thlaspi*, 346, 347, 364, 369  
— *arvense*, 370
- Thoa*, 228
- Thymocarpus*, 40
- Tiarella cordifolia* subsp. *cordifolia*, 61  
— *polyphylla*, 61
- Tibouchina*, 229
- Ticorea*, 229
- Tigarea*, 229, 239
- Tilia americana*, 61  
— *heterophylla*, 61
- Tiliaceae, 238
- Tita*, 218, 237
- Tococa*, 229
- Tocoyena*, 229
- Tomlinson, P. B., and J. R. VINCENT. Anatomy of the Palm *Rhipis excelsa*, X.

- Differentiation of Stem Conducting Tissue, 191–214
- Tonabea*, 228, 237
- Tonina*, 229
- Tonsella*, 229, 237
- Tontanea*, 224, 229, 237
- Tontelea*, 229
- Topobea*, 229
- Touchiroa*, 216, 229, 237
- Toulicia*, 229
- Tounatea*, 229
- Touroulia*, 229
- Tovomita*, 229
- Toxicodendron*, 113  
— *arboreum*, 108, 113
- Trautvetteria caroliniana*, 61  
— *japonica*, 61
- Treatment of Aublet's Generic Names by His Contemporaries and by Present-Day Taxonomists, The, 215–242
- Tribes of Cruciferae (Brassicaceae) in the Southeastern United States, The, 343–373
- Trichocarpus*, 216, 237
- Trigonia*, 229, 239
- Trigoniaceae*, 238, 240
- Trigonobalanus*, 376, 377, 390, 395, 401  
— *daichangensis*, 376, 377, 381, 389, 390, 394, 395  
— *excelsa*, 376, 377, 391, 395  
— *verticillata*, 376, 377, 383, 390, 394, 395, 401
- Trillium erectum*, 61  
— *grandiflorum*, 61  
— *smallii*, 61  
— *tschonoskii*, 61  
— *vaseyi*, 61
- Triosteum himalayanum*, 61
- Trixis*, 217, 231, 237
- TSUCHIYA, T., L. C. JOHNSON, and S. E. SCHLARBAUM. The Chromosomes and Relationships of *Metasequoia* and *Sequoia* (Taxodiaceae): an Update, 251–254
- Tsuga*, 57  
— *canadensis*, 61  
— *chinensis*, 61  
— *diversifolia*, 61
- Turneraceae*, 238
- Ulmus*, 291
- Uncaria*, 223, 237
- Uvaria*, 237  
— *longifolia*, 217
- Vaccinium erythrocarpum*, 61  
— *japonicum* var. *japonicum*, 61  
— — var. *sinensis*, 61
- Vandellia*, 221, 237
- Vantanea*, 229
- Vatairea*, 216, 230, 237
- Vegetative Anatomy and the Taxonomic Status of *Ilex collina* and *Nemopanthus* (Aquifoliaceae), 243–250
- Verbena*, 228, 237
- Verbenaceae*, 231, 233, 238
- Veronica*, 535
- Vesselowskya*, 150, 155, 165, 168  
— *rubifolia*, 152, 154–158, 172, 173
- Viburnum betulifolium*, 61
- VINCENT, J. R., and P. B. TOMLINSON. Anatomy of the Palm *Rhipis excelsa*, X. Differentiation of Stem Conducting Tissue, 191–214
- Viola acuminata*, 61
- Violaceae*, 239
- Virecta*, 227, 234, 237
- Virola*, 230
- Vochisia*, 230, 237
- Vochy*, 230, 240
- Vochysia*, 230, 237, 240
- Vochysiaceae*, 239, 240
- Votomita*, 230
- Vouacapoua*, 230, 240
- Vouapa*, 223, 230, 237, 239
- Vouarana*, 230
- Voyara*, 230
- Voyria*, 230, 239
- Waldschmidtia*, 216, 237
- Warea*, 344, 345, 366, 369  
— *carteri*, 370
- WEBSTER, G. L., W. J. HAYDEN, W. T. GILLIS, D. E. STONE, and C. R. BROOME. Systematics and Palynology of *Picrodendron*: Further Evidence for Relationship with the Oldfieldioideae (Euphorbiaceae), 105–127
- Weinmannia*, 150, 153–158, 163, 165, 168, 169, 173, 174, 291  
— *affinis*, 152, 156  
— *aphanoneura*, 152  
— *bangii*, 152, 156  
— *biviniana*, 153  
— *blumei*, 153, 156, 172  
— *celebica*, 153, 156, 174  
— *clemensiae*, 153  
— *decora*, 153, 156, 157, 174  
— *denhamii*, 153, 156, 158, 174

- Weinmannia descombesiana, 153, 156, 174  
— dichotoma, 153, 156  
— fraxinea, 150, 153, 156, 158, 174  
— glabra, 153, 173  
— hutchinsonii, 153, 156, 174  
— luzoniensis, 153, 156, 158, 173  
— mauritiana, 153, 174  
— monticola, 153, 156, 158, 173  
— negrosensis, 153, 156, 174  
— paitensis, 153  
— parviflora, 153  
— pinnata, 153, 156, 157, 173  
— pullei, 153, 156, 173  
— purpurea, 153, 156, 174  
— racemosa, 153, 154, 158, 172, 173  
— richii, 153, 156, 173  
— rubrinervis, 153, 156, 173  
— rutenbergii, 153  
— serrata, 153, 156, 173  
— subsessiliflora, 153, 156, 157, 173  
— sylvicola, 153, 156, 173  
— tannaensis, 153, 156, 158, 173  
— tinctoria, 153, 156, 157, 173  
— trichophora, 153, 174  
— trichosperma, 153, 156, 174  
— vescoi, 153, 156, 174  
Wernisekia, 220, 237  
WHITE, PETER S. The Architecture of Devil's Walking Stick, *Aralia spinosa* (Araliaceae), 403–418  
Whytockia, 129  
Willughbeia, 231, 237  
Willughbeja, 216, 223, 231, 237  
Winteraceae, 101  
Wolfnia, 233, 237  
Wolfia, 225, 237  
Xanthe, 225, 237  
Xerodraba pycnophylloides, 349  
Ximenia, 220, 237  
Xiphidium, 230  
YING, TSÜN-SHEN, SUSUMU TERABAYASHI, and DAVID E. BOUFFORD. A Monograph of *Diphyllieia* (Berberidaceae), 57–94  
Zanonia, 219, 237  
ZARUCCHI, JAMES L. The Treatment of Aublet's Generic Names by His Contemporaries and by Present-Day Taxonomists, 215–242  
Zea, 211  
— mays, 210  
Zenobia, 257  
Zingiber, 16, 18, 25  
— officinale, 19  
Zingiberaceae, Cannaceae, and Marantaceae: The Zingiberales in the Southeastern United States, 5–55  
Zingiberaceae, 5–8, 15–21, 39, 43, 433, 441  
— subfam. Costoideae, 7, 15–17, 433  
— — tribe Hedychieae, 7, 16, 18, 433  
— subfam. Zingiberoideae, 7, 15–18, 25, 433  
— — tribe Alpinieae, 16–18  
— — tribe Globbeae, 18, 433  
— — tribe Zingibereae, 18, 433  
— tribe Costeae, 433  
Zingiberales (Cannaceae, Marantaceae, and Zingiberaceae) in the Southeastern United States, The, 5–55  
Zingiberales, 5–55  
Zingiberopsis, 18  
Zinowiewia, 291  
Zwingera, 227, 234, 237  
Zwingeria, 234, 237